

DOCKET NO.: ISIS-1158

## PATENT

Please rewrite claims 7 and 21 as new claims 37 and 38, respectively, as indicated below:

--37. A peptide nucleic acid conjugate of the formula:

Chemical structure diagram showing two fragments of a polymer chain. The left fragment is labeled with subscripts 'm' and 'Q' and includes atoms L, A, B, C, D, G, and Q. The right fragment is labeled with subscripts 'm' and 'I' and includes atoms L, A, B, C, D, and I.

wherein:

$m$  is an integer from 1 to about 50;

L and  $L_m$  independently are  $R^{12}(R^{13})_a$ , wherein:

$R^{12}$  is hydrogen, hydroxy, ( $C_1-C_4$ ) alkanoyl, a naturally occurring nucleobase, a non-naturally occurring nucleobase, an aromatic moiety, a DNA intercalator, a nucleobase-binding group, a heterocyclic moiety, a reporter ligand, or a conjugate;

provided that at least one of  $R^{12}$  is a naturally occurring nucleobase, a non-naturally occurring nucleobase, a DNA intercalator, or a nucleobase-binding group;

R<sup>13</sup> is a conjugate; and

DOCKET NO.: ISIS-1158

PATENT

a is 0 or 1;

C and C<sub>m</sub> independently are (CR<sup>6</sup>R<sup>7</sup>)<sub>y</sub>; wherein:

R<sup>6</sup> and R<sup>7</sup> independently are hydrogen, a side chain of a naturally occurring alpha amino acid, (C<sub>2</sub>-C<sub>6</sub>) alkyl, aryl, aralkyl, heteroaryl, hydroxy, (C<sub>1</sub>-C<sub>6</sub>) alkoxy, (C<sub>1</sub>-C<sub>6</sub>) alkylthio, a conjugate, NR<sup>3</sup>R<sup>4</sup>, SR<sup>5</sup> or R<sup>6</sup> and R<sup>7</sup> taken together complete an alicyclic or heterocyclic system;

wherein R<sup>5</sup> is hydrogen, a conjugate, (C<sub>1</sub>-C<sub>6</sub>) alkyl, hydroxy-, alkoxy-, or alkylthio-substituted (C<sub>1</sub>-C<sub>6</sub>) alkyl; and

R<sup>3</sup> and R<sup>4</sup> independently are hydrogen, a conjugate, (C<sub>1</sub>-C<sub>4</sub>) alkyl, hydroxy- or alkoxy- or alkylthio-substituted (C<sub>1</sub>-C<sub>4</sub>) alkyl, hydroxy, alkoxy, alkylthio or amino;

B  
mt

D and D<sub>m</sub> independently are (CR<sup>6</sup>R<sup>7</sup>)<sub>z</sub>;

each of y and z is zero or an integer from 1 to 10, wherein the sum y + z is greater than 2 but not more than 10;

G<sub>m</sub> is independently -NR<sup>3</sup>CO-, -NR<sup>3</sup>CS-, -NR<sup>3</sup>SO-, or -NR<sup>3</sup>SO<sub>2</sub>- in either orientation;


each pair of A-A<sub>m</sub> and B-B<sub>m</sub> are selected such that:

(a) A or A<sub>m</sub> is a group of formula (IIa), (IIb) or (IIc) and B or B<sub>m</sub> is N or R<sup>3</sup>N<sup>+</sup>; or

(b) A or A<sub>m</sub> is a group of formula (IId) and B or B<sub>m</sub> is CH;

DOCKET NO.: ISIS-1158

PATENT



wherein:

*B1  
cont*

X is O, S, Se, NR<sup>3</sup>, CH<sub>2</sub> or C(CH<sub>3</sub>)<sub>2</sub>;

Y is a single bond, O, S or NR<sup>4</sup>;

each of p and q is zero or an integer from 1 to 5;

each of r and s is zero or an integer from 1 to 5;

R<sup>1</sup> and R<sup>2</sup> independently are hydrogen, (C<sub>1</sub>-C<sub>4</sub>)alkyl, hydroxy-substituted (C<sub>1</sub>-C<sub>4</sub>)alkyl, alkoxy-substituted (C<sub>1</sub>-C<sub>4</sub>)alkyl, alkylthio-substituted (C<sub>1</sub>-C<sub>4</sub>)alkyl, hydroxy, alkoxy, alkylthio, amino, halogen or a conjugate;

I is -NR<sup>8</sup>R<sup>9</sup> or -NR<sup>10</sup>C(O)R<sup>11</sup>; wherein:

R<sup>8</sup>, R<sup>9</sup>, R<sup>10</sup> and R<sup>11</sup> independently are hydrogen, alkyl, an amino protecting group, a reporter ligand, an intercalator, a chelator, a peptide, a protein, a carbohydrate, a lipid, a steroid, a nucleoside, a nucleotide, a nucleotide diphosphate, a nucleotide

DOCKET NO.: ISIS-1158

PATENT

triphosphate, an oligonucleotide, an oligonucleoside, a soluble polymer, a non-soluble polymer or a conjugate;

Q is  $-\text{CO}_2\text{H}$ ,  $-\text{CO}_2\text{R}^8$ ,  $-\text{CO}_2\text{R}^9$ ,  $-\text{CONR}^8\text{R}^9$ ,  $-\text{SO}_3\text{H}$ ,  $-\text{SO}_2\text{NR}^{10}\text{R}^{11}$  or an activated derivative of  $-\text{CO}_2\text{H}$  or  $-\text{SO}_3\text{H}$ ; and

wherein:

at least one of Q and I comprises a conjugate selected from a terpene, a cell receptor binding molecule, a crosslinking agent, a water soluble vitamin, a lipid soluble vitamin, a porphyrin, or an alkylator; or


at least one of A,  $\text{A}_m$ , L, and  $\text{L}_m$  comprises a conjugate selected from a reporter enzyme, a reporter molecule, a steroid, a carbohydrate, a terpene, a peptide, a protein, a phospholipid, a cell receptor binding molecule, a crosslinking agent, a water soluble vitamin, a lipid soluble vitamin, an RNA/DNA cleaving complex, a metal chelator, a porphyrin, an alkylator, or a polymeric compound selected from polymeric amines, polymeric glycols and polyethers;

wherein said conjugate optionally includes a linking moiety.

38. A compound having one of the following formulas:

DOCKET NO.: ISIS-1158

**PATENT**



wherein:

L is  $R^{12}(R^{13})_a$ ; wherein:

$R^{12}$  is hydrogen, hydroxy, ( $C_1-C_4$ ) alkanoyl, a naturally occurring nucleobase, a non-naturally occurring nucleobase, an aromatic moiety, a DNA intercalator, a nucleobase-binding group, a heterocyclic moiety, a reporter ligand, or a conjugate and at least one of  $R^{12}$  is a naturally occurring nucleobase, a non-naturally occurring nucleobase, a DNA intercalator, or a nucleobase-binding group;

$R^{13}$  is a conjugate; and

a is 0 or 1;





A and B are selected such that:

(a) A is a group of formula (IIa), (IIb) or (IIc) and B is N or  $R^3N^+$ ; or

(b) A is a group of formula (IId) and B is CH.

DOCKET NO.: ISIS-1158

PATENT



*b*  
cont

where:

X is O, S, Se, NR<sup>3</sup>, CH<sub>2</sub> or C(CH<sub>3</sub>)<sub>2</sub>;

Y is a single bond, O, S or NR<sup>4</sup>;

p and q independently are zero or an integer from 1 to 5;

r and s independently are zero or an integer from 1 to 5;

R<sup>1</sup> and R<sup>2</sup> independently are hydrogen, (C<sub>1</sub>-C<sub>4</sub>)alkyl, hydroxy-substituted (C<sub>1</sub>-C<sub>4</sub>)alkyl, alkoxy-substituted (C<sub>1</sub>-C<sub>4</sub>)alkyl, alkylthio-substituted (C<sub>1</sub>-C<sub>4</sub>)alkyl, hydroxy, alkoxy, alkylthio, amino, halogen or a conjugate;

C is (CR<sup>6</sup>R<sup>7</sup>)<sub>y</sub>;

D is (CR<sup>6</sup>R<sup>7</sup>)<sub>z</sub>; wherein:

R<sup>6</sup> and R<sup>7</sup> independently are hydrogen, a side chain of a naturally occurring alpha amino acid, (C<sub>2</sub>-C<sub>6</sub>)

DOCKET NO.: ISIS-1158

PATENT

alkyl, aryl, aralkyl, heteroaryl, hydroxy, (C<sub>1</sub>-C<sub>6</sub>) alkoxy, (C<sub>1</sub>-C<sub>6</sub>) alkylthio, a conjugate, NR<sup>3</sup>R<sup>4</sup> and SR<sup>5</sup> or R<sup>6</sup> and R<sup>7</sup> taken together complete an alicyclic or heterocyclic system;

R<sup>3</sup> and R<sup>4</sup> independently are hydrogen, a conjugate, (C<sub>1</sub>-C<sub>4</sub>) alkyl, hydroxy- or alkoxy- or alkylthio-substituted (C<sub>1</sub>-C<sub>4</sub>) alkyl, hydroxy, alkoxy, alkylthio or amino; and

R<sup>5</sup> is hydrogen, a conjugate, (C<sub>1</sub>-C<sub>6</sub>) alkyl, hydroxy-, alkoxy-, or alkylthio- substituted (C<sub>1</sub>-C<sub>6</sub>) alkyl;

each of y and z is zero or an integer from 1 to 10, the sum y + z being greater than 2 but not more than 10;

E independently is COOH, CSOH, SOOH, SO<sub>2</sub>OH or an activated or protected derivative thereof;

F independently is NHR<sup>3</sup> or NPgR<sup>3</sup>, where Pg is an amino protecting group;

wherein:

F comprises a conjugate selected from a terpene, a cell receptor binding molecule, a crosslinking agent, a water soluble vitamin, a lipid soluble vitamin, a porphyrin, or an alkylator; or

at least one of A and L comprises a conjugate selected from a reporter enzyme, a reporter molecule, a steroid, a carbohydrate, a terpene, a peptide, a protein, a phospholipid, a cell receptor binding molecule, a